

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

## NYX PROFESSIONAL MAKEUP FAT CHEEKS LIQUID BLUSH

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2025
1.2	20.08.2025	34-67- 410000002005	Date of first issue: 09.01.2025

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : NYX PROFESSIONAL MAKEUP FAT CHEEKS LIQUID  
BLUSH

Formula Center Reference : G2062075

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Personal care product used for cosmetic effect.

#### 1.3 Details of the supplier of the safety data sheet

Company : L'Oreal SA  
14, Rue Royale  
75008 Paris  
France

Telephone : +17324992745

E-mail address of person  
responsible for the SDS : NACORPEUROPESDSREQUEST@LOREAL.COM

#### 1.4 Emergency telephone

National Poisons Control  
Center : ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (Available 24  
hours a day. SDS/Product information may not be available  
for the Emergency Service.)

INFOTRAC : +1 352-323-3500 (Available 24 hours a day. SDS/Product  
information may not be available for the Emergency Service.)

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1 H318: Causes serious eye damage.

#### 2.2 Label elements

##### Labeling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

## NYX PROFESSIONAL MAKEUP FAT CHEEKS LIQUID BLUSH

Version 1.2      Revision Date: 20.08.2025      SDS Number: 34-67-410000002005      Date of last issue: 10.01.2025  
Date of first issue: 09.01.2025

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.

Precautionary Statements : P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.

**Prevention:**

P280 Wear eye protection/ face protection.

**Response:**

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

**Hazardous ingredients which must be listed on the label:**

PENTYLENE GLYCOL

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**Components**

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
ISODODECANE	13475-82-6 236-757-0 01-2119490725-29	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Aquatic Chronic 4;	>= 2,5 - < 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

## NYX PROFESSIONAL MAKEUP FAT CHEEKS LIQUID BLUSH

Version 1.2      Revision Date: 20.08.2025      SDS Number: 34-67-410000002005      Date of last issue: 10.01.2025  
Date of first issue: 09.01.2025

---

		H413	
PEG-10 DIMETHICONE	68937-54-2	Eye Irrit. 2; H319	>= 1 - < 10
PENTYLENE GLYCOL	5343-92-0 226-285-3 01-2119491291-39	Eye Dam. 1; H318	>= 3 - < 10
PROPYLENE CARBONATE	108-32-7 203-572-1 607-194-00-1 01-2119537232-48	Eye Irrit. 2; H319	>= 1 - < 10

For explanation of abbreviations see section 16.

---

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

- General advice : Consult a physician.
- If inhaled : If symptoms persist, call a physician.
- In case of skin contact : Get medical attention if irritation develops and persists.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Remove contact lenses.  
If eye irritation persists, consult a specialist.
- If swallowed : Rinse mouth with water.  
If symptoms persist, call a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : Causes serious eye damage.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>)
- Unsuitable extinguishing media : None known.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

## NYX PROFESSIONAL MAKEUP FAT CHEEKS LIQUID BLUSH

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2025
1.2	20.08.2025	34-67- 410000002005	Date of first issue: 09.01.2025

---

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known.

### 5.3 Advice for firefighters

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with eyes.  
For personal protection see section 8.  
Provide sufficient air exchange and/or exhaust in work rooms.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.  
Keep away from open flames, hot surfaces and sources of ignition.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

## NYX PROFESSIONAL MAKEUP FAT CHEEKS LIQUID BLUSH

Version 1.2      Revision Date: 20.08.2025      SDS Number: 34-67-410000002005      Date of last issue: 10.01.2025  
Date of first issue: 09.01.2025

Hygiene measures : When using do not eat or drink. When using do not smoke.  
Wash hands before breaks and at the end of workday.

Dust explosion class : Not applicable

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No smoking. Keep in a well-ventilated place. Observe label precautions.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Personal care product used for cosmetic effect.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
ISODODECANE	13475-82-6	VME (Vapor)	1.000 mg/m <sup>3</sup>	FR VLE
	Further information: Permissible limit values (circular)			
		VLCT (VLE) (Vapor)	1.500 mg/m <sup>3</sup>	FR VLE
	Further information: Permissible limit values (circular)			
GLYCERIN	56-81-5	VME (aerosol)	10 mg/m <sup>3</sup>	FR VLE
	Further information: Permissible limit values (circular)			
TITANIUM DIOXIDE	13463-67-7	VME (Titanium)	10 mg/m <sup>3</sup>	FR VLE
	Further information: Permissible limit values (circular)			

### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection : Applicable for industrial settings only.  
Tightly fitting safety goggles

Hand protection

Remarks : Applicable for industrial settings only. Nitrile rubber

Skin and body protection : Applicable for industrial settings only.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

## NYX PROFESSIONAL MAKEUP FAT CHEEKS LIQUID BLUSH

Version 1.2	Revision Date: 20.08.2025	SDS Number: 34-67- 410000002005	Date of last issue: 10.01.2025 Date of first issue: 09.01.2025
----------------	------------------------------	---------------------------------------	---

---

Work uniform or laboratory coat.

Respiratory protection : No personal respiratory protective equipment normally required.

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	: liquid
Form	: cream
Color	: Shaded
Odor	: Unscented.
Melting point/freezing point	: No data available
Boiling point/boiling range	: Not available
Flammability	: Sustains combustion
Upper explosion limit / Upper flammability limit	: 3,8 %(V) (for a component of this mixture)
Lower explosion limit / Lower flammability limit	: 0,5 %(V) (for a component of this mixture)
Flash point	: 62,0 °C Method: ISO 3679
Autoignition temperature	: 410 °C (for a component of this mixture)
Decomposition temperature	: Not applicable
pH	: Not applicable
Viscosity Viscosity, kinematic	: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

## NYX PROFESSIONAL MAKEUP FAT CHEEKS LIQUID BLUSH

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2025
1.2	20.08.2025	34-67- 410000002005	Date of first issue: 09.01.2025

---

Solubility(ies)  
Water solubility : partly soluble

Partition coefficient: n-  
octanol/water : Not applicable

Vapor pressure : 1 hPa (25 °C)  
(for a component of this mixture)

Relative density : 0,9999 - 1,0001 (20 °C)

Relative vapor density : No data available

Particle characteristics  
Particle size : Not applicable

### 9.2 Other information

Fire Point : Not applicable

Dust explosion class : Not applicable

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.  
Vapors may form explosive mixture with air.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

### 10.5 Incompatible materials

Materials to avoid : Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

## NYX PROFESSIONAL MAKEUP FAT CHEEKS LIQUID BLUSH

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2025
1.2	20.08.2025	34-67- 410000002005	Date of first issue: 09.01.2025

---

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Components:

##### **ISODODECANE:**

- Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : LC50 (Rat, male and female): 4,951 mg/l  
Exposure time: 4 h  
Test atmosphere: vapor  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rabbit, male and female): 2.200 - 2.500 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

##### **PEG-10 DIMETHICONE:**

- Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Remarks: Based on data from similar materials

##### **PENTYLENE GLYCOL:**

- Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity
- Acute inhalation toxicity : LC50 (Rat, male and female): > 7,015 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

## NYX PROFESSIONAL MAKEUP FAT CHEEKS LIQUID BLUSH

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2025
1.2	20.08.2025	34-67- 410000002005	Date of first issue: 09.01.2025

---

### PROPYLENE CARBONATE:

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit, male and female): >= 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Components:

#### ISODODECANE:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Mild skin irritation

#### PEG-10 DIMETHICONE:

Species : Rabbit  
Result : No skin irritation

#### PENTYLENE GLYCOL:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### PROPYLENE CARBONATE:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### Serious eye damage/eye irritation

Causes serious eye damage.

### Product:

Remarks : May cause irreversible eye damage.

### Components:

#### ISODODECANE:

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

## NYX PROFESSIONAL MAKEUP FAT CHEEKS LIQUID BLUSH

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2025
1.2	20.08.2025	34-67- 410000002005	Date of first issue: 09.01.2025

---

### PEG-10 DIMETHICONE:

Result : Eye irritation

### PENTYLENE GLYCOL:

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

### PROPYLENE CARBONATE:

Species : Rabbit  
Result : Eye irritation  
Method : OECD Test Guideline 405

### Respiratory or skin sensitization

#### Skin sensitization

Based on available data, the classification criteria are not met.

#### Respiratory sensitization

Based on available data, the classification criteria are not met.

### Components:

#### ISODODECANE:

Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitization.

#### PEG-10 DIMETHICONE:

Routes of exposure : Skin contact  
Species : Guinea pig  
Result : Does not cause skin sensitization.

#### PENTYLENE GLYCOL:

Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitization.

#### PROPYLENE CARBONATE:

Result : Does not cause skin sensitization.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

## NYX PROFESSIONAL MAKEUP FAT CHEEKS LIQUID BLUSH

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2025
1.2	20.08.2025	34-67- 410000002005	Date of first issue: 09.01.2025

---

### Components:

#### **PROPYLENE CARBONATE:**

Germ cell mutagenicity-  
Assessment : Weight of evidence does not support classification as a germ cell mutagen.

#### **Carcinogenicity**

Based on available data, the classification criteria are not met.

#### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

### Components:

#### **PROPYLENE CARBONATE:**

Reproductive toxicity -  
Assessment : Weight of evidence does not support classification for reproductive toxicity

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Repeated dose toxicity**

### Components:

#### **PROPYLENE CARBONATE:**

Species : Rat, male and female  
NOAEL : > 5000 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Method : OECD Test Guideline 408

Species : Rat, male and female  
NOEC : 1 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 93 d  
Method : OECD Test Guideline 413

#### **Aspiration toxicity**

Based on available data, the classification criteria are not met.

### Components:

#### **ISODODECANE:**

May be fatal if swallowed and enters airways.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

## NYX PROFESSIONAL MAKEUP FAT CHEEKS LIQUID BLUSH

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2025
1.2	20.08.2025	34-67- 410000002005	Date of first issue: 09.01.2025

---

### 11.2 Information on other hazards

#### Endocrine disrupting properties

**Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Further information

**Product:**

Remarks : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

**Components:**

**ISODODECANE:**

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 0,0028 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOELR (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: EC10: > 1.000 mg/l Exposure time: 60 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other	: NOELR: > 10,2 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

## NYX PROFESSIONAL MAKEUP FAT CHEEKS LIQUID BLUSH

Version 1.2      Revision Date: 20.08.2025      SDS Number: 34-67-410000002005      Date of last issue: 10.01.2025  
Date of first issue: 09.01.2025

---

aquatic invertebrates (Chronic toxicity)      Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### Ecotoxicology Assessment

Chronic aquatic toxicity      :      May cause long lasting harmful effects to aquatic life.

### PENTYLENE GLYCOL:

Toxicity to fish      :      LC50 (Danio rerio (zebra fish)): > 1.096 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates      :      EC50 (Daphnia magna (Water flea)): > 500 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants      :      EC50 (Desmodesmus subspicatus (green algae)): 9.334,69 mg/l  
Exposure time: 72 h  
Method: DIN 38412

### PROPYLENE CARBONATE:

Toxicity to fish      :      LC50 (Fish): > 1.000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates      :      EC50 (Daphnia magna (Water flea)): > 1.000 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants      :      EC50 (Desmodesmus subspicatus (green algae)): > 900 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOELR (Desmodesmus subspicatus (green algae)): 900 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

## 12.2 Persistence and degradability

### Components:

#### ISODODECANE:

Biodegradability      :      Result: Readily biodegradable.  
Biodegradation: 71 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

#### PENTYLENE GLYCOL:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

## NYX PROFESSIONAL MAKEUP FAT CHEEKS LIQUID BLUSH

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2025
1.2	20.08.2025	34-67- 410000002005	Date of first issue: 09.01.2025

---

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 73 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301E

### PROPYLENE CARBONATE:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 87,7 %  
Exposure time: 29 d  
Method: OECD Test Guideline 301B

### 12.3 Bioaccumulative potential

#### Components:

#### ISODODECANE:

Bioaccumulation : Bioconcentration factor (BCF): 315 - 1.021,68

Partition coefficient: n-octanol/water : log Pow: 5,94 - 6,16  
pH: 7

#### PENTYLENE GLYCOL:

Partition coefficient: n-octanol/water : log Pow: 0,06

#### PROPYLENE CARBONATE:

Partition coefficient: n-octanol/water : log Pow: -0,41

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

## NYX PROFESSIONAL MAKEUP FAT CHEEKS LIQUID BLUSH

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2025
1.2	20.08.2025	34-67- 410000002005	Date of first issue: 09.01.2025

---

levels of 0.1% or higher.

### 12.7 Other adverse effects

**Product:**

Additional ecological information : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Send to a licensed waste management company.

Contaminated packaging : Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

Suggested Waste Code : 16 03 06, organic wastes other than those mentioned in 16 03 05

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADN : Not regulated as a dangerous good

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

### 14.2 UN proper shipping name

ADN : Not regulated as a dangerous good

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

## NYX PROFESSIONAL MAKEUP FAT CHEEKS LIQUID BLUSH

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2025
1.2	20.08.2025	34-67- 410000002005	Date of first issue: 09.01.2025

---

<b>ADR</b>	:	Not regulated as a dangerous good
<b>RID</b>	:	Not regulated as a dangerous good
<b>IMDG</b>	:	Not regulated as a dangerous good
<b>IATA</b>	:	Not regulated as a dangerous good

### 14.4 Packing group

<b>ADN</b>	:	Not regulated as a dangerous good
<b>ADR</b>	:	Not regulated as a dangerous good
<b>RID</b>	:	Not regulated as a dangerous good
<b>IMDG</b>	:	Not regulated as a dangerous good
<b>IATA (Cargo)</b>	:	Not regulated as a dangerous good
<b>IATA (Passenger)</b>	:	Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

## NYX PROFESSIONAL MAKEUP FAT CHEEKS LIQUID BLUSH

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2025
1.2	20.08.2025	34-67- 410000002005	Date of first issue: 09.01.2025

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Reinforced medical supervision (R4624-23) : The product has no CMR properties category 1, 1A or 1B

Installations classified for the protection of the environment (Environment Code R511-9) : 1436

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture.

### SECTION 16: Other information

#### Full text of H-Statements

H226 : Flammable liquid and vapor.  
H304 : May be fatal if swallowed and enters airways.  
H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.  
H413 : May cause long lasting harmful effects to aquatic life.

#### Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard  
Asp. Tox. : Aspiration hazard  
Eye Dam. : Serious eye damage  
Eye Irrit. : Eye irritation  
Flam. Liq. : Flammable liquids  
FR VLE : France. Occupational Exposure Limits  
FR VLE / VME : Time Weighted Average  
FR VLE / VLCT (VLE) : Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - Interna-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

## NYX PROFESSIONAL MAKEUP FAT CHEEKS LIQUID BLUSH

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2025
1.2	20.08.2025	34-67- 410000002005	Date of first issue: 09.01.2025

tional Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Other information : The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### Classification of the mixture:

Eye Dam. 1

H318

### Classification procedure:

Calculation method

FR / EN