



COSMETIC PRODUCT INFORMATION SHEET FOR FINISHED PRODUCT TRANSPORT, HANDLING AND STORAGE

CPI 12c

Issue Date: **25/11/2024**

- 1. Product:** **Non Flammable Aerosol (mousse/gel/foam)**
Brand(s): **Axe, Andreelon, Dove**

Supplier

Great Britain : Unilever Dept ER Wirral CH63 3JW United Kingdom

European Union :

- Unilever RA, Weena 455, 3013 AL Rotterdam, Netherlands
- **New address from June 2025:**
Unilever RA, Rodezand 90, 3011 AN, Rotterdam, Netherlands

Careline Number

Check packaging and/or brand website

2.1 Composition	CAS	Phys/Chem Classification
May contain:		
Butane	106-97-8	Flam. Gas 1, H220, H280
Isobutane	75-28-5	Flam. Gas 1, H220, H280
Propane	74-98-6	Flam. Gas 1, H220, H280

For full list of ingredients see Product Label or call Careline Number above.

2.2 Regulated Labelling requirements

Hazard pictograms	:	No
Signal word	:	Warning
Hazard statements	:	H229 : Pressurized container: may burst if heated.

Precautionary statements

General	:	P102 Keep out of reach of children.
Prevention	:	P251 Do not pierce or burn, even after use. P210 Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

Storage

- : P410 Protect from sunlight.
P412 Do not expose to temperatures exceeding 50 °C.

Aerosol dispenser directive:

- The inverted Epsilon "3" for the EU

3

- The UKCA symbol for GB

**2.3 Unilever instructions for use and precautionary phrases**

Shake well before each use.

Hold can 15 centimeters from underarm (or body as appropriate) and spray.

Avoid direct inhalation

Use in short bursts in well-ventilated places, avoid prolonged spraying.

Use only as directed.

Do not spray near eyes.

Do not use on broken skin. Stop use if rash or irritation occurs.

3. Physical and Chemical Properties

Appearance:

Not Applicable

pH value:

Not Applicable

Flammability:

Not flammable

Flame height:

No ignition

Flame duration:

No ignition

Explosive Limits:

1.8% - 10.0% in air (butane gas)

Stability:

Stable under normal conditions.

4. Potential Effects**Physical/Chemical**

Spillage will create a fire hazard. Beware of vapours accumulating to form explosive concentrations.

Environmental

Large spillage may cause adverse effects if released into the environment.

Health

Ingestion: Aerosol: Unlikely route of exposure.

Skin and Eyes: May be irritating to skin and eyes

Inhalation: **Aerosol: Solvent Abuse Can Kill Instantly**

5. First Aid Measures

Emergency Tel: Check packaging and/or brand website for the Careline address.

- Ingestion:** Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Drink 1 or 2 glasses of water. If large amount swallowed or symptoms develop obtain medical attention.
- Skin:** Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur
- Eyes:** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
- Inhalation:** Move the exposed person to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband

6. Fire Fighting Measures

Extinguishing Media

Water spray, alcohol resistant foam, dry powder or carbon dioxide. Keep nearby containers cool with water spray.

Special Hazards

Inform fire brigade of presence of aerosols. Aerosol cans may explode in fires giving off flammable vapours. Use water spray to reduce vapours. Be aware of danger for fire to re-start.

Special Personal Protection Equipment

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Hazardous combustion products

Product may decompose in fire and liberate oxides of carbon and other unidentified organic compounds.

7. Accidental Release Measures

Precautions:

Do not smoke, use naked flames or other sources of ignition. Ventilate contaminated areas thoroughly before entry and during cleaning. Avoid inhalation of vapours and aerosols. Avoid contact with eyes. In line with good hygienic practices in the workplace avoid any unnecessary contact with skin. For large volumes, consider the need for evacuation of the area.

Protective Equipment

Use suitable gloves and eye protection. If there is a risk of exposure to high vapour concentrations use self contained breathing apparatus, or other suitable respiratory protection, and safety goggles. Use ventilation to control exposure to the product to below the recommended limits.

	Country	8 hr TWA ppm	8 hr TWA mg/m ³	15 min STEL ppm	15 Min STEL mg/m ³
Butane	Austria	800	1900	-	3800
	Belgium	1000	-	-	9600
	Bulgaria	-	1900	-	-
	Denmark	500	1200	-	-
	Estonia	800	1500	-	-
	Finland	800	1900	-	2400
	France	800	1900	-	-
	Germany	1000	2400	-	9600
	Greece	1000	2350	-	-
	Ireland	600	1430	750	1780
	Latvian	-	300	-	-
	Norway	250	600	-	-
	Poland	1900	-	-	3000
	Slovenia	1000	2400	4000	9600
	Spain	1000	-	-	-
	Switzerland	800	1900	-	-
	United Kingdom	600	1450	750	1810

	Country	8 hr TWA ppm	8 hr TWA mg/m ³	15 min STEL ppm	15 Min STEL mg/m ³
Iso-butane	Slovenia	1000	2400	-	-
	Germany	1000	2400	-	-
	Estonia	800	1900	-	-
	Finland	800	1900	-	-

	Country	8 hr TWA ppm	8 hr TWA mg/m ³	15 min STEL ppm	15 Min STEL mg/m ³
Propane	Spain	1000	-	-	-
	Slovenia	1000	1800	-	-
	Ireland	1000	-	-	-
	Poland	-	1800		
	Estonia	1000	1800		
	Bulgaria	-	1800	-	-
	Denmark	1000	1800		
	Romania	778	1400		
	Greece	1000	1800		
	Portugal	1000	-		
	Switzerland	1000	1800	400	7200
	Germany	1000	1800		
	Austria	1000	1800		
	Finland	800	1500		

Method of clean up

Ensure contaminated areas are thoroughly ventilated and aerosols are stable before commencing clean up. Absorb spillage with non combustible, absorbent material (e.g. sand). Move containers from spill area. Use spark- proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Shovel into plastic lined containers and seal. Wash contaminated area with water. Damaged cans should be handled with extreme care to avoid cuts and lacerations. Leather gloves should be worn. Damaged or leaking cans should be suitably contained and disposed of as described in Section 9.

Environmental Precautions

Do not allow large spillage to enter drains, sewers or water courses. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

8. Handling and Storage**Bulk Storage**

Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C. Store in tightly closed original container in a dry, well-ventilated place, away from oxidising materials, sources of heat or ignition – No Smoking. Ground storage and transfer equipment to eliminate static electric sparks. Store in accordance with relevant local regulations.

Bulk Handling

When using do not eat, drink or smoke.

Suitable equipment for dealing with fire/spillage should be readily available.

Conditions/Materials to avoid

Avoid heat, flames and other sources of ignition. Avoid contact with oxidising materials.

Seveso III Directive - Reporting thresholds**Danger criteria**

Category	Notification and MAPP threshold	Safety report threshold
P3b: Non Flammable, No containing flammable gases Category 1 or 2 or flammable liquids Category 1	5 000(net)	50000 (net)

This entry is assigned as the aerosol dispenser does not contain Flammable Gas Category 1 or 2 nor Flammable Liquid Category 1.

9. Disposal Considerations

Do not puncture or incinerate containers, even when empty.
Disposal should be in accordance with applicable regional, national and local laws and regulations.

Hazardous Waste codes

- Waste of aerosol propellants: 14.06.03 other solvents and solvent mixtures
- Package :15 01 04 metallic packaging

10. Transport Information

UN number : 1950
Proper shipping name : AEROSOLS

Land - Road/Railway

ADR/RID Class : 2
ADR/RID classification code : 5A
Tunnel code : D

Sea

IMDG Class : 2.2
EmS Code : F -D / S - U
Marine pollutant : No

Air

IATA
UN-No UN1950
Proper Shipping Name Aerosols, non-flammable
Hazard Class 2.2
ERG Code 2L
PG NA
Description UN1950, Aerosols, non-flammable, 2.2

Additional information

Can also be shipped as ID8000 Consumer Commodity

Additional information

Limited quantity:

Inner packaging: max: 1 liter
Combination package: max. 30 kg
Shrink wrapped-trays: max 20 kg

Labelling 2nd packaging when shipped under LQ

LQ symbol

Size : 100 mm x 100 mm, but can be reduced to 50 mm x 50 mm if the package size requires it.

Black line width : min 2 mm

Centre area: white or a suitable contrasting


This Way Up arrows

Min dimensions Arrows : 74 mm x 105 mm


Colour black or red on a contrasting background at 2 opposite sides.

Carriage by Road

Flammable symbol is optional

**Carriage by air**

Flammable symbol is mandatory

**11. Regulatory Information**

This product complies with all current relevant EU legislation.

12. Other Information

- Consumer Pack - Use only in accordance with pack instructions.
- This product information sheet is based upon data considered to be accurate at the time of its preparation.
- This document is:
 - designed to provide handling information specifically for professionals working in the warehouse and during carriage.
 - is not intended to cover the safety requirements as per the general Product Safety Regulation (EC 2023/988).